Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1.   (Currently amended) A shopping system comprising:

a card for identifying a user to a computer system using a sensing device, the card having ~~an~~ a first interface surface having disposed thereon or therein first coded data, the first coded data including a plurality of first coded data portions, each first coded data portion being indicative of an identity of the user; and

a shopping receptacle having a shopping receptacle identity, the shopping receptacle comprising an optical sensing device adapted to:

(a) sense at least one first coded data portion on the card;

(b) sense second coded data on a second interface surface of a product item, said second coded data being indicative of a product identity ~~on an interface surface of a product item~~ and of a plurality of locations on the second interface surface;

(c) generate first indicating data identifying the user identity using the sensed first coded data;

(d) generate second indicating data ~~identifying the product identity~~ using the sensed second coded data; and,

(e) transfer the shopping receptacle identity data, the first indicating data and the second indicating data to the computer system, the computer system being responsive to the received data to perform an action,

wherein the second indicating data is indicative of the product identity and of at least one of:

            (i) a position of the sensed second coded data;

            (ii) a position of the sensing device relative to the second interface surface;

            (iii) an orientation of the sensed second coded data; and,
            (iv) an orientation of the sensing device relative to the second interface surface.

2. – 3. (Cancelled)

4.   (Previously presented) The shopping system of claim 1, wherein the computer system is responsive to:

    (a) associate the shopping receptacle with the user; and,

    (b) dissociate the shopping receptacle and the user.

5.   (Previously presented) The shopping system of claim 1, wherein the first coded data distinguishes the identity of the user from the identity of every other user known to the computer system.

6.   (Previously presented) The shopping system of claim 1, wherein the first coded data is redundantly encoded.

7.   (Previously presented) The shopping system of claim 1, wherein the first coded data is redundantly encoded using Reed-Solomon encoding.

8.   (Previously presented) The shopping system of claim 1, wherein the first coded data is substantially invisible to the unaided eye.

9.   (Previously presented) The shopping system of claim 1, wherein the first coded data is printed using infrared ink.

10.   (Currently amended) The shopping system of claim 1, wherein the first coded data is provided on the first interface surface coincident with visible markings.

11.   (Currently amended) The shopping system of claim 1, wherein the first coded data is disposed over a substantial portion of the first interface surface.

12.   (Currently amended) A method of shopping using a card and a shopping receptacle,

the card having a first~~s~~ interface surface having disposed thereon or therein first coded data,

the first coded data including a plurality of first coded data portions, each first coded data

portion being indicative of an identity of a user,

the shopping receptacle having a shopping receptacle identity and comprising an optical

sensing device,

wherein the method includes in the sensing device:

(a) sensing at least one first coded data portion of the first interface surface;

(b) sensing second coded data on a second interface surface of a product item, said second

coded data being indicative of a product identity ~~on an interface surface of a product~~

~~item~~and of a plurality of locations on the second interface surface;

(c) generating first indicating data identifying the user identity using the sensed first coded

data;

(d) generating second indicating ~~data identifying the at least one product identity~~ using the

sensed second coded data; and,

(e) transferring the shopping receptacle identity data, the first indicating data and the second

indicating data to the computer system, the computer system being responsive to the

received data to perform an action~~,~~;

wherein the second indicating data is indicative of the product identity and of at least one of:

_____ (i) a position of the sensed second coded data;

_____ (ii) a position of the sensing device relative to the second interface surface;

_____ (iii) an orientation of the sensed second coded data; and,

_____ (iv) an orientation of the sensing device relative to the second interface surface.

13.   (Previously presented) The method of claim 12, wherein the action is at least one

of:

(i)   associating the shopping receptacle with the user; and,

(ii)   dissociating the shopping receptacle and the user.

14.   (Previously presented) The method of claim 12, wherein the method includes, in the computer system:

    (a) receiving the first indicating data from the sensing device; and,

    (b) determining, using the received first indicating data, user identity data indicative of the identity of the user; and,

    (c) performing the action using the user identity data.

15. – 16.   (Cancelled)

17.   (Previously presented) The method of claim 12, wherein the first coded data distinguishes the identity of the user from the identity of every other user known to the computer system.

18.   (Previously presented) The method of claim 12, wherein the first coded data is redundantly encoded.

19.   (Previously presented) The method of claim 12, wherein the first coded data is redundantly encoded using Reed-Solomon encoding.

20.   (Previously presented) The method of claim 12, wherein the first coded data is substantially invisible to the unaided eye.

21.   (Previously presented) The method of claim 12, wherein the first coded is printed using infrared ink.

22.   (Currently amended) The method of claim 12, wherein the first coded data is provided on the first interface surface coincident with visible markings.

23.   (Currently amended) The method of claim 12, wherein the first coded data is disposed over a substantial portion of the first interface surface.

24 – 27. (Cancelled)